


Turnpike Catheter Navigate Complex Interventions at Every Turn

Keep Driving Forward


The portfolio of Turnpike Catheters places the power in your hands. Navigate tortuous anatomy with agility and precision. No matter the challenge, Turnpike Catheters are designed to help simplify the journey.



Turnpike Catheters feature a unique five-layer shaft construction that provides flexibility, torque and tracking over a 0.014" guidewire in complex coronary interventions.

Outmanoeuvre Roadblocks

- · Complex lesions
- Extreme tortuosity
- Guidewire support



Enhanced Guidewire Movement

An inner PTFE liner that spans the entire catheter to ensure smooth guidewire interaction throughout the case

Responsive and Kink Resistant


Dual-layer coils and a braid make for an ideal combination of flexibility and torque response


Exceptional Delivery


A polymer outer layer, paired with a hydrophilic coating on the distal 60 cm, provides excellent lubricity for delivery


Turnpike LP

Dual coil tapers down to single coil 21 cm from distal tip for lower profile and increased flexibility in the distal shaft and tip










Ordering Information


Turnpike Catheter							
REF.	WORKING LENGTH	PROXIMAL SHAFT O.D.	DISTAL SHAFT O.D	DISTAL TIP O.D	COMPATIBLE GUIDEWIRE DIAMETER	COMPATIBLE GUIDE CATHETER SIZE	
5642	135 cm	2.9 Fr. 0.97 mm / 0.038"	2.6 Fr. 0.86 mm / 0.034"	1.6 Fr. 0.53 mm / 0.021"	≤ 0.014" (0.36 mm)	≥ 5 Fr. ≥ 1.42 mm / 0.056" I.D.	
5643	150 cm	2.9 Fr. 0.97 mm / 0.038"	2.6 Fr. 0.86 mm / 0.034"	1.6 Fr. 0.53 mm / 0.021"	≤ 0.014" (0.36 mm)	≥ 5 Fr. ≥ 1.42 mm / 0.056" I.D.	

Turnpike Spiral Catheter

Spiral shaft, flexible tip


Front-line device for complex antegrade interventions





Ordering Information

Turnpike Spiral Catheter							
REF.	WORKING LENGTH	PROXIMAL SHAFT O.D.	DISTAL SHAFT O.D	DISTAL TIP O.D	COMPATIBLE GUIDEWIRE DIAMETER	COMPATIBLE GUIDE CATHETER SIZE	
5640	135 cm	2.9 Fr. 0.97 mm / 0.038"	2.9 Fr. 0.97 mm / 0.038"	1.6 Fr. 0.53 mm / 0.021"		≥ 5 Fr. ≥ 1.42 mm / 0.056" I.D.	
5641	150 cm	2.9 Fr. 0.97 mm / 0.038"	2.9 Fr. 0.97 mm / 0.038"	1.6 Fr. 0.53 mm / 0.021"		≥ 5 Fr. ≥ 1.42 mm / 0.056" I.D.	



Ordering Information

Turnpike Gold Catheter							
REF.	WORKING LENGTH	PROXIMAL SHAFT O.D.	DISTAL SHAFT O.D	DISTAL TIP O.D	COMPATIBLE GUIDEWIRE DIAMETER	COMPATIBLE GUIDE CATHETER SIZE	
5621	135 cm	2.9 Fr. 0.97 mm / 0.038"	2.9 Fr. 0.97 mm / 0.038"	2.1 Fr. 0.71 mm / 0.028"	≤ 0.014" (0.36 mm)	≥ 5 Fr. ≥ 1.42 mm / 0.056" I.D.	
5622	150 cm	2.9 Fr. 0.97 mm / 0.038"	2.9 Fr. 0.97 mm / 0.038"	2.1 Fr. 0.71 mm / 0.028"		≥ 5 Fr. ≥ 1.42 mm / 0.056" I.D.	

Turnpike LP Catheter

Low-profile shaft, flexible tip

Front-line device for retrograde intervention

Distal Shaft Flexibility


more flexible¹


Tip Flexibility

more flexible¹

Dual-to-single coil transition 21 cm from distal tip for lower profile and increased flexibility in the distal shaft and tip

Turnpike LP Catheter offers impressive torqueability with a smaller crossing profile than the Corsair Microcatheter





Ordering Information

Turnpike LP Catheter

REF.	WORKING LENGTH	PROXIMAL SHAFT O.D.	DISTAL SHAFT O.D	DISTAL TIP O.D	COMPATIBLE GUIDEWIRE DIAMETER	COMPATIBLE GUIDE CATHETER SIZE
5638	135 cm	2.9 Fr. 0.97 mm / 0.038"	2.2 Fr. 0.74 mm / 0.029"	1.6 Fr. 0.53 mm / 0.021"		≥ 5 Fr. ≥ 1.42 mm / 0.056" I.D.
5639	150 cm	2.9 Fr. 0.97 mm / 0.038"	2.2 Fr. 0.74 mm / 0.029"	1.6 Fr. 0.53 mm / 0.021"		≥ 5 Fr. ≥ 1.42 mm / 0.056" I.D.

^{1.} All values based on bench test data averages compared to the standard Turnpike Catheter, n=15, performed by Teleflex. Bench test results may not necessarily be indicative of clinical performance. Data on file.

^{2.} All values based on bench test data averages, n=2, performed by Teleflex. Bench test results may not necessarily be indicative of clinical performance. Data on file.

Teleflex is a global provider of medical technologies designed to improve the health and quality of people's lives. We apply purpose-driven innovation – a relentless pursuit of identifying unmet clinical needs – to benefit patients and healthcare providers. Our portfolio is diverse, with solutions in the fields of vascular and interventional access, surgical, anaesthesia, cardiac care, urology, emergency medicine and respiratory care. Teleflex employees worldwide are united in the understanding that what we do every day makes a difference. For more information, please visit teleflex.com.

Teleflex is the home of Arrow, Deknatel, Hudson RCI, LMA, Pilling, Rüsch, UroLift, and Weck – trusted brands united by a common sense of purpose.

Corporate Office

Phone +1 610 225 6800, 550 E. Swedesford Road, Suite 400, Wayne, PA 19087, USA

Regional Offices

United States: Phone +1 919 544 8000, Toll Free 866 246 6990, cs@teleflex.com, 3015 Carrington Mill Boulevard, Morrisville, NC 27560, USA

Latin America: Phone +1 919 433 4999, la.cs@teleflex.com, 3015 Carrington Mill Boulevard, Morrisville, NC 27560, USA

International: Phone +353 (0)9 06 46 08 00, orders.intl@teleflex.com, Teleflex Medical Europe Ltd., IDA Business and Technology Park, Dublin Road, Athlone, Co Westmeath, Ireland

Australia 1300 360 226 Austria +43 (0)1 402 47 72 Belgium +32 (0)2 333 24 60 Canada +1 (0)800 387 9699

China (Shanghai) +86 (0)21 6060 7000 **China** (Beijing) +86 (0)10 6418 5699 **Czech Republic** +420 (0)495 759 111

France +33 (0)5 62 18 79 40

Germany +49 (0)7151 691 3004

Greece +30 210 67 77 717

India +91 (0)80 4093 4790

Italy +39 0362 58911

Japan +81 (0)3 6632 3600

Korea +82 2 536 7550 Mexico +52 55 5002 3500 Netherlands +31 (0)88 00 215 00 New Zealand 0800 601 100 Poland +48 22 4624032 Portugal +351 225 491 051

Singapore (SEA non-direct sales countries) +65 6439 3000

Slovak Republic +421 (0)3377 254 28 South Africa +27 (0)11 807 4887

Spain +34 91 198 84 31

Switzerland +41 (0)31 818 40 90 United Kingdom +44 (0)1494 53 27 61

For more information, please visit teleflex.com

Please see the Instructions for Use for a complete listing of the indications, contraindications, warnings and precautions. The Turnpike Catheters are intended to be used to access discrete regions of the coronary and/or peripheral vasculature. They may be used to facilitate placement and exchange of guidewires and to subselectively infuse/deliver diagnostic and therapeutic agents. The Turnpike Spiral and Turnpike Gold catheters are contraindicated for use in vessels with an effective diameter smaller than 1 mm.

Teleflex, the Teleflex logo, Turnpike, Arrow, Deknatel, Hudson RCI, LMA, Pilling, Rüsch, UroLift and Weck are trademarks or registered trademarks of Teleflex Incorporated or its affiliates, in the U.S. and/or other countries. Other names may be trademarks of their respective owners.

Information in this material is not a substitute for the product Instructions for Use. Not all products may be available in all countries. Please contact your local representative. Revised: 05/2020.

© 2020 Teleflex Incorporated. All rights reserved.

MCI-2019-0823-EN · REV 0.2 · 05 20 PDF

